

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9893	identity information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L2	36	identity information store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L3	22	identity information document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L4	81	"5872847"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L5	0	"5872847.pn."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L6	2	"5872847".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L7	4676	((send\$3 or reciev\$3) with (identity)) same (sign\$4 or key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01

L8	1660	(identity or identifier or identification or license) (recognition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L9	15	L7 and L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L10	576	713/175.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L11	2523	713/168.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L12	3023	L10 or L11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L13	221	L7 and L12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L14	68573	XML or extensible markup language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L15	31	L13 and L14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01

L16	1	identification recognition number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L17	36	identification document same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L18	5	identity information document same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L19	1035	certificate same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L20	63	certificate same XML same trust	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L21	1	10/693172	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L22	2	"20030115342"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L23	7914	identity information not reliable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01

L24	9892	identity information not reliable same Identity Recognition Number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L25	517	hash same (alphanumeric or readable) same compar \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L26	55	hash same (alphanumeric or readable) same compar \$4 same (ID or identity or personal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L27	950	verify with reliable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L28	2	human readable hash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L29	549	hash with mask\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L30	336	hash with mask\$4 same (ID or person\$4 or number or identif \$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L31	6	hash with mask\$4 same (ID or person\$4 or number or identif \$7) same (readable or phone number or easily)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01

L32	22	(hash with mask\$4) same (ID or person\$4 or number or identif \$7) same read\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L33	499	verif\$7 same reliable same (channel or telephone or email)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L34	43	verif\$7 with (ID or identification) same reliable same (channel or telephone or email)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L35	9707	(flag\$3 or mark\$2) with (invalid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L36	776	(flag\$3 or mark\$2) with (invalid) with (ID or identification or information or data) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L37	189	(flag\$3 or mark\$2) with (invalid) with (ID or identification or information) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
L38	26	((flag\$3 or mark\$2) with (invalid) with (ID or identification or information) with memory) and (authenticat\$4 or authorizat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/22 06:01
S1	6916	identity information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 14:21

S3	23	identity information store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 14:31
S4	18	identity information document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 14:31
S5	55	"5872847"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 14:51
S6	0	"5872847.pn."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 14:51
S7	2	"5872847".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 14:51
S8	3503	((send\$3 or reciev\$3) with (identity)) same (sign\$4 or key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 15:33
S9	1255	(identity or identifier or identification or license) (recognition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 15:32
S10	9	S8 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 16:51

S11	412	713/175.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 16:53
S12	1655	713/168.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 17:01
S13	2019	S11 or S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 17:01
S14	155	S8 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 18:26
S15	42955	XML or extensible markup language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 17:02
S16	16	S14 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/07 17:02
S17	1	identification recognition number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/08 16:06
S18	28	identification document same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/08 16:07

S19	5	identity information document same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/08 16:08
S20	688	certificate same XML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/08 16:08
S21	33	certificate same XML same trust	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/03/08 16:08
S22	1	10/693172	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 13:29
S23	2	"20030115342"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 13:29
S24	6065	identity information not reliable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 15:06
S25	7613	identity information not reliable same Identity Recognition Number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 15:06
S27	367	hash same (alphanumeric or readable) same compar \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 15:19



S28	35	hash same (alphanumeric or readable) same compar \$4 same (ID or identity or personal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 15:26
S29	791	verify with reliable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 15:26
S31	1	human readable hash	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 15:27
S34	446	hash with mask\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 15:28
S36	277	hash with mask\$4 same (ID or person\$4 or number or identif \$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 15:33
S37	4	hash with mask\$4 same (ID or person\$4 or number or identif \$7) same (readable or phone number or easily)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 15:32
S41	17	(hash with mask\$4) same (ID or person\$4 or number or identif \$7) same read\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/24 15:34
S42	426	verif\$7 same reliable same (channel or telephone or email)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/31 13:25

S43	38	verif\$7 with (ID or identification) same reliable same (channel or telephone or email)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/31 13:25
S44	8790	(flag\$3 or mark\$2) with (invalid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 13:46
S45	708	(flag\$3 or mark\$2) with (invalid) with (ID or identification or information or data) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 13:47
S46	178	(flag\$3 or mark\$2) with (invalid) with (ID or identification or information) with memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 13:47
S47	23	((flag\$3 or mark\$2) with (invalid) with (ID or identification or information) with memory) and (authenticat\$4 or authorizat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/29 13:53

12/ 22/ 2008 6:03:11 AM

C:\Documents and Settings\rmoran\My Documents\EAST\Workspaces\10693172.wsp